

Luminaire Accessories | Linear Accessories

Plug + Play Microwave Sensor Packs

EN-ANTMSC2



Photometrics

Wattage	0.22
Lumens	N/A
Lm/W	N/A
Lumens in EM Mode	N/A
Beam Angle	N/A
Colour Temperature	N/A
Ra	N/A
SDCM	N/A
UGR19	N/A
Type of Distribution	N/A

Product Features

Brand	Aurora
IP Rating	N/A
IK Rating	N/A
L70 Hours	N/A
L90 Hours	N/A
Lifetime Class	N/A

Dimmable	Coridoor
0-10V Dimming?	N/A
DALI Dimming?	N/A
1-10V Dimming?	N/A
DALI-2 Dimming?	N/A
DMX Dimming?	N/A
DSI Dimming?	N/A
Country of Origin	CH

Electrical Specification

Input Voltage (Min)	DC
Input Voltage (Max)	DC
Output Voltage	DC
Input Voltage Type	DC
Power Factor	0.9
Surge Protection (kV)	N/A
Inrush Current (A)	N/A
Protection Class	3
Fire Protection	N/A
Frequency (Min) Hz.	N/A
Frequency (Max) Hz.	N/A
Operating Temp. (Min) °C	N/A
Operating Temp. (Max) °C	N/A
Glow Wire Test (°C)	N/A

Physical Attributes

Length (mm)	64
Width (mm)	57
Height (mm)	27
Overall Diameter (mm)	N/A
Lamp Base	N/A
Cutout Diameter Min. (mm)	N/A

Cutout Diameter Max. (mm)	N/A
Material	Polycarbonate
Optic Material	N/A
Diffuser	N/A
Mount Options	Surface
Finish Colour	Blue